

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

3000MG CBD TINCTURE - UNFLAVORED - 1 OZ (TINCTURE) // PRODUCED: APR 21, 2023

CLIENT: CASCO BAY HEMP // BATCH: PASSED



BATCH NO.: 0557
MATRIX: TINCTURE
DENSITY: 0.9534 g/ml
SAMPLE ID: NAL-230419-086
COLLECTED ON: APR 19, 2023
RECEIVED ON: APR 19, 2023
SAMPLE SIZE: 5 ML
SAMPLED BY: BENJAMIN WALTERS
RECEIVED BY: ALEX ERAMO

CANNABINOID OVERVIEW

CBD:	9.30 %
CBC:	0.515 %
TOTAL CANNABINOIDS:	10.3 %

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: APR 20, 2023 // ANALYSIS: APR 21, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.515 %	4.91 mg/ml		0.200/1.00	N/A
CBCA	ND	ND		0.200/1.00	N/A
CBD	9.30 %	88.7 mg/ml		0.200/1.00	N/A
CBDA	ND	ND		0.200/1.00	N/A
CBDV	< LOQ	< LOQ		0.200/1.00	N/A
CBDVA	< LOQ	< LOQ		0.200/1.00	N/A
CBG	0.313 %	2.98 mg/ml		0.200/1.00	N/A
CBGA	ND	ND		0.200/1.00	N/A
CBL	ND	ND		0.200/1.00	N/A
CBLA	ND	ND		0.200/1.00	N/A
CBN	< LOQ	< LOQ		0.200/1.00	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.200/1.00	N/A
Δ ⁸ -THC		ND	ND	0.200/1.00	N/A
Δ ⁸ -THCA		ND	ND	0.200/1.00	N/A
Δ ⁹ -THC	0.197 %	1.88 mg/ml		0.200/1.00	N/A
Δ ¹⁰ -THC		ND	ND	0.200/1.00	N/A
EXO-THC		ND	ND	0.200/1.00	N/A
THCA		ND	ND	0.200/1.00	N/A
THCV		ND	ND	0.200/1.00	N/A
THCVA		ND	ND	0.200/1.00	N/A
TOTAL THC**	0.197 %	1.88 mg/ml			N/A
TOTAL CBD**	9.30 %	88.7 mg/ml			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
APR 21, 2023

https://lims.tagleaf.com/coa_/mhrKiLQxBB

NOTES

ZACHARY SMITH
APR 21, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

