

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

6000MG FS CBD PEPPERMINT 1 OZ TINCTURE (TINCTURE) // THIS IS A REVISED COA ISSUED AUG 30, 2023

CLIENT: CASCO BAY HEMP // BATCH: PASSED



BATCH NO.: 0615 ¹
MATRIX: TINCTURE ¹
DENSITY: 0.942 g/ml ²
SAMPLE ID: NAL-230818-019
COLLECTED ON: AUG 18, 2023
RECEIVED ON: AUG 18, 2023
SAMPLE SIZE: 5 ML ¹
SAMPLED BY: BENJAMIN WALTERS
RECEIVED BY: IAN LEONARD
SERVING SIZE: 1 ML ²
PACKAGE SIZE: 30 ML ¹

CANNABINOID OVERVIEW

CBD: 195 mg/srv
CBDV: 1.75 mg/srv
TOTAL CANNABINOIDS: 202 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: AUG 28, 2023, AUG 23, 2023 // ANALYSIS: AUG 29, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.172 %	1.62 mg/ml	0.256/0.512	N/A		Δ ¹⁰ -THC		ND	ND	0.256/0.512	N/A
CBCA	ND	ND	0.256/0.512	N/A		EXO-THC		ND	ND	0.512/0.512	N/A
CBD	20.7 %	195 mg/ml	0.400/2.00	N/A		THCA		ND	ND	0.512/0.512	N/A
CBDA	0.0936 %	0.882 mg/ml	0.256/0.512	N/A		THCV		ND	ND	0.256/0.512	N/A
CBDV	0.186 %	1.75 mg/ml	0.256/0.512	N/A		THCVA		ND	ND	0.256/0.512	N/A
CBDVA	ND	ND	0.256/0.512	N/A		TOTAL THC**	0.118 %	1.11 mg/ml			N/A
CBG	0.143 %	1.35 mg/ml	0.256/0.512	N/A		TOTAL CBD**	20.8 %	196 mg/ml			N/A
CBGA	ND	ND	0.256/0.512	N/A		CBD/SRV		195 mg			N/A
CBL	ND	ND	0.512/0.512	N/A		Δ⁹-THC/SRV		1.11 mg			N/A
CBLA	ND	ND	0.256/0.512	N/A		TOTAL THC/SRV**	11.5 mg	1.11 mg			PASS
CBN	ND	ND	0.256/0.512	N/A		TOTAL CBD/SRV**		196 mg			N/A
CBNA	ND	ND	0.256/0.512	N/A		CBD/PKG		5850 mg			N/A
Δ ⁸ -THC	ND	ND	0.512/0.512	N/A		Δ⁹-THC/PKG		33.3 mg			N/A
Δ ⁹ -THCA	ND	ND	0.512/0.512	N/A		TOTAL THC/PKG**	110 mg	33.3 mg			PASS
Δ ⁹ -THC	0.118 %	1.11 mg/ml	0.256/0.512	N/A		TOTAL CBD/PKG**		5880 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
AUG 30, 2023

NOTES

ZACHARY SMITH
AUG 30, 2023

THIS IS A REVISED CERTIFICATE OF ANALYSIS ISSUED TO INCLUDE A REANALYSIS AT A LOWER DILUTION THRESHOLD IN ORDER TO QUANTIFY THOSE RESULTS PREVIOUSLY REPORTED AS "<LOQ."

ZACHARY SMITH
AUG 28, 2023

THIS IS A REVISED CERTIFICATE OF ANALYSIS ISSUED TO ADJUST THE INITIALLY REPORTED 29.5735ML PACKAGE SIZE (ONE U.S. FLUID OUNCE CONVERTED TO MILLILITERS) TO A 30.0ML PACKAGE SIZE AT CLIENT REQUEST.

ZACHARY SMITH
AUG 23, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

